





Orbray



4x M1.7x0.35
DEPTH 1.8
P. C. D. 10



OPTICAL ENCODER
ELECTRICAL CONNECTIONS
PULSE/REV

# 1	(MOTOR+)
# 2	V _{cc} (DC5V±10%)
# 3	Ch. A
# 4	Ch. B
# 5	Ch. Z
# 6	GND
# 7	(MOTOR-)

NOTE 1) MARKED(*) IS SHAFT LENGTH MEASURED WHEN IT IS PUSHED TO MOTOR SIDE.

*印寸法はシャフトをモータ側に押しつけた時の値を示す。

2) LOT NO.

EXAMPLE) JANUARY, 2018

「18-A」

JANUARY:A, FEBRUARY:B...DECEMBER:L

1月:A、2月:B...12月:L

「-」 :MADE IN THAILAND

「-」有り :海外工場生産

「-」NONE :MADE IN JAPAN

「-」無し :国内工場生産

THE END TWO DIGIT OF CHRISTIAN YEAR

西暦年数末尾数字2桁

3) THE LEAD WIRE IS AWG28 UL3302.

リード線はAWG28 UL3302を使用する。

4) OUTSIDE DIAMETER IS NOT APPLIED TO THE CAULKING.

外径寸法公差はカシメ部を除く。

5) 4x M1.7 AND LEAD WIRE DRAWING POSITIONS ARE OUT OF DIMENSIONAL CONTROL.

4x M1.7とリード線引き出し角度は寸法管理外とする。

TOLERANCE				△/×						
DIMENSION(±)			ANGLE	△/×						
	0	1	2	3	△/×					
L≤6	0.05	0.1	0.1	0.3	△/×					
6<L≤30	0.1	0.1	0.2	0.5	△/×					
30<L≤120	0.15	0.2	0.3	0.8	△/×					
120<L	0.2	0.3	0.5	1.2	△/×					
					±1°					
					SYM.	DATE	NOTE	DRW.	CHK.	APPD.
MATERIAL	FINISH	QTY.	SCALE	2/1	TYPE	CMS16-33 0				
			UNIT	1/1mm	TITLE	OUTLINE DRAWING				
APPD.	CHK.	DSGN.	DRW.	DWG.NO.						
				REF.NO.						
		30Jan'18	30Jan'18	CHK.NO.	REMARK	Rev. 00				